


每個住宅物業 Each Residential Property	樓層 Floor	第 1 座 Tower 1				
		單位 Flat				
		А	В	С	D	Е
層與層之間的高度 ( 毫米 ) Floor-to-Floor Height (mm)	28 樓 28/F	4000	4000	4000	4000	4000
樓板(不包括灰泥)的厚度(毫米) Thickness of Floor Slab (excluding plaster) (mm)		160, 200, 250	160	160	160, 250	160, 250

因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部面積,一般比較低樓層的內部面積稍大。
The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. 請參閱本售樓説明書第22頁為住宅物業樓面平面圖而設之備註及名詞及簡稱的圖例。

Please refer to page 22 of this sales brochure for the remarks and legends of the terms and abbreviations for the floor plans of residential properties.

Metres/米





- 備註:1. 平面圖所列的數字為以毫米標示之建築結構尺寸,並以四捨五入至整數。
  - 2. 有關天台的位置在該發展項目經建築事務監督批准的建築圖則上列為平台,實際上其用途為天台,其面積將以天台計算。
- Notes: 1. The dimensions in floor plans are all structural dimensions in millimeter and rounded off to the nearest integer.

  2. For the location of the roof, it was specified as flat roof in the general building plans of the development approved by the Building Authority. In practice, it is a roof and its area is calculated under the roof.